Fluoride Varnish Manual



State of Nevada
Department of Human Resources
Health Division
Bureau of Family Health Services
Maternal and Child Health
3427 Goni Road, Suite 108
Carson City, NV 89706-7972
Judith M. Wright
(775) 684-4285

Kenny C. Guinn Governor

Michael J. Willden Director

Robert Cooley, DDS State Dental Health Officer

December 2002

Yvonne Sylva Administrator

Vacant State Health Officer

Nevada State Health Division Maternal and Child Health Oral Health Initiative

Fluoride Varnish Manual

Table of Contents

Advantages	3
Protocol	4
Approval from the Nevada State Board of Dental Examiners	6
Approval from the Nevada State Board of Medical Examiners	7
Approval from the Nevada State Board of Nursing	8
Sample RX	9
Ordering	10
Supplies	11
Information for Parents English Spanish	12 13
Consent Forms English Spanish	14 15
Application	16
Positioning	17
Post-Application Instructions	18
Post Application Information for Parents English Spanish	19 20
Billing Information	21

Fluoride Varnish Advantages

- Does not require special dental equipment.
- Does not require a professional dental cleaning prior to application.
- Is easy to apply.
- Dries immediately upon contact with saliva.
- Is safe and well tolerated by infants, young children, and individuals with special needs.
- Is inexpensive.
- Requires minimal training.
- Nevada Medicaid will reimburse dental <u>and</u> medical providers \$16.00 per application.

Fluoride Varnish Application Protocol

Introduction

Fluoride varnish is a thin coating of resin that is applied to the tooth surface to protect it from decay. According to the FDA, fluoride varnish falls under the category of "drugs and devices" that presents minimal risk and is subject to the lowest level of regulation.

Purpose

The purpose of applying fluoride varnish is to retard, arrest, and reverse the process of cavity formation.

Indications

Infants and children with a moderate or high risk of developing cavities. A child is considered at risk if he/she:

- Has had cavities in the past or has white spot lesions and stained fissures
- Continues to use the bottle past 1 year of age or sleeps with a bottle containing liquids other than water
- Breastfeeds on demand at night
- Has a developmental disability
- Chronically uses high sugar oral medications
- Has family members with a history of caries
- Engages in prolonged or ad lib use throughout the day of a bottle or sippy cup containing liquids other than water

Contraindications

Children with a low risk of cavity formation who consume optimally fluoridated water or children who receive routine fluoride treatments through a dental office.

Application procedure

Pre-application instructions:

- Remind the parent to give the child something to eat and drink before coming to receive a fluoride application.
- Advise the parent that the child's teeth may become discolored temporarily as fluoride varnish has an orange brown tinge. Tell the parent that the varnish can be brushed off the following day.

You will need to have:

- Disposable gloves
- Gauze sponges (2 x 2)
- Fluoride varnish
- Small disposable fluoride applicator
- Paper towels or disposable bids to place under the child's head (optional)

Position the child:

- For an <u>infant</u> place the child on the parent's lap with the child's head on the parent's knees and the child's legs around the parent's waist. Position yourself knee-to-knee with the parent and treat the child from behind the head.
 - Or, place the infant on an exam table and work from behind the head.
 - Or, as you gain experience, do whatever works for you.
- For a young child place the child in a prone or sitting position and work from above the head as with an infant. Or, adapt a method that works best for you.

The application:

- Using gentle finger pressure, open the child's mouth.
- Remove excess saliva with a gauze sponge.
- Use your fingers and sponges to isolate the dry teeth and keep them dry. You will usually be able to isolate a quadrant of teeth at a time, but may have to work with fewer teeth in some children. Infants are easiest because they have only anterior teeth.
- Apply a **thin** layer of the varnish to **all surfaces of the teeth**. Avoid applying varnish on large open cavities.
- Once the varnish is applied, you need not worry about moisture (saliva) contamination. The varnish sets quickly.

Post-application instructions:

- Eat a soft, non-abrasive diet for the rest of the day.
- Do not brush or floss until the next morning

Remember:

- Even though the child may fuss, the varnish application is not unpleasant.
- Tell the parent that the teeth will not be white and shiny until the next day.

The varnish application should be repeated at three-month intervals for high-risk children and at six-month intervals for children who are not at high risk.

Nevada State Board of Dental Examiners

Larry L. Champagne, D.M.D. **President**



A. Ted Twesme, D.D.S. **Secretary-Treasurer**

2295-B Renaissance Drive • Las Vegas, NV 89119 • (702) 486-7044 • (800) DDS-EXAM • Fax (702) 786-7046

April 23, 2002

Chris Forsch, R.D.H. Nevada State Health Department 4801 Ramcreek Trail Reno, NV 89509

Dear Ms. Forsch:

This letter will serve as correction of Terminology in my letter of April 10, 2002. As previously stated, your presentation brought before the Telephone Conference Call of the Nevada State Board of Dental Examiners on March 26, 2002, requesting approval of certain medical providers to apply fluoride varnish to children's teeth as part of well-child and Early Periodic Screening Diagnosis and Treatment (EPSDT) was unanimously approved on that date.

Approval provides that Physician Assistants and Advanced Practice Nurses licensed in Nevada may prescribe and/or apply fluoride vanish to children's teeth as part of well-child and Early Periodic Screening Diagnosis and Treatment (EPSDT) visits. This approval includes medical providers including nurses approval to apply fluoride varnish to children's teeth as part of the same programs.

I apologize for any confusion that my previous letter may have caused. As always, if you have any concerns or questions feel free to contact me at the Board office.

Sincerely,

William J. Busch, D.D.S Executive Director

KENNY C. GUINN Governor

STATE OF NEVADA

YVONNE SYLVA
Administrator

MICHAEL J. WILLDEN Director



VACANT State Health Officer

DEPARTMENT OF HUMAN RESOURCES HEALTH DIVISION

BUREAU OF FAMILY HEALTH SERVICES MATERNAL AND CHILD HEALTH

> 505 E. King Street, Room 200 Carson City, Nevada 89701-4792 (775) 684-4285 • Fax (775) 684-4245

December 18, 2001

Larry Leslie
Executive Director/Special Counsel
Nevada State Board of Medical Examiners
1105 Terminal Way, Suite 301
Reno, NV 89502

Dear Mr. Leslie:

This letter confirms our telephone conversation of December 13 and my understanding that if the State Board of Dental Examiners approves doing so, a Physician Assistant licensed in Nevada may prescribe and apply fluoride varnish if his supervising physician has authorized him to do so.

I appreciate your taking the time to clarify statute and regulations related to prescribing by Physicians Assistants.

Sincerely,

Christine Forsch, RDH Contractor

KENNY C. GUINN Governor

STATE OF NEVADA

YVONNE SYLVA
Administrator

MICHAEL J. WILLDEN Director



VACANT State Health Officer

DEPARTMENT OF HUMAN RESOURCES HEALTH DIVISION

BUREAU OF FAMILY HEALTH SERVICES MATERNAL AND CHILD HEALTH

505 E. King Street, Room 200 Carson City, Nevada 89701-4792 (775) 684-4285 • Fax (775) 684-4245

December 18, 2001

Jeanie Jenkins Management Assistant II Nevada State Board of Nursing 4330 South Valley View, Suite 106 Las Vegas, NV 89103

Dear Ms. Jenkins

This letter confirms our telephone conversation of December 14th and my understanding that if the State Board of Dental Examiners approves doing so, an Advanced Practice Nurse licensed in Nevada may prescribe and apply fluoride varnish if the following requirements are met:

- 1. The Advanced Practice Nurse must have prescribing privileges.
- 2. Fluoride varnish is listed in a protocol signed by the collaborating physician.

I appreciate your taking the time to clarify statute and regulations related to prescribing by Advanced Practice Nurses in Nevada.

Sincerely,

Christine Forsch, RDH Contractor

Example of an RX

	<u>DEA #</u>		
	John Q	. Doe, M.D.	
123 Sc	mewhere Street	Anywhere, NV	89000
Name		Date _	
Addre	SS		
Rx	Fluoride Varnish #80 children	d Start and Early Head er child Q 3-4 months	
Label			
Refill -	-0-1-2-3-4-PRN _		_ M.D.
	Disp	pense Only as Written	

Fluoride Varnish Ordering Information

Cavity Shield (5% NaF in a natural colophonium resin). Available in a unit-dose with a built in applicator.

Omni Products 1-800-445-3386

Duraphat (5% NaF in a natural colophonium resin)

Colgate Oral Pharmaceuticals 1-800-225-3756 1-800-2-COLGATE

Durafluor (5% NaF in a natural colophonium resin)

Medicom 1-800-435-9267

Fluor-Protector (0.1% difluorosilane in a polyurethane base)

Ivoclar North America-Vivadent 1-800-327-4688

Supplies

- Disposable gloves.
- Paper towel or disposable bids (to place under the child's head if the child's head is being cradled in the providers lap).
- Gauze aponges (2 X 2).
- Fluoride Varnish.
- Disposable applicator brush (if not included with the varnish).



Information for Parents About Fluoride Varnish



Why do we recommend putting fluoride varnish on children's teeth?

Tooth decay is one of the most common preventable diseases seen in children. Children as young as 12-18 months can get cavities. Cavities in baby teeth can cause pain and even prevent children from being able to eat, speak, sleep and learn properly. Children do not lose all their baby teeth until they are about 11 or 12 years old.

What is fluoride varnish?

Fluoride varnish is a protective coating that is painted on teeth to help prevent new cavities and to help stop cavities that have already started.

Is fluoride varnish safe?

Yes, fluoride varnish can be used on babies from the time they have their first teeth. Only a very small amount of fluoride varnish is used. This method of providing fluoride to teeth has been used in Europe for more than 25 years. Fluoride varnish is approved by the FDA and is endorsed by the American Dental Association.

How is it put on the teeth?

The varnish is painted on the teeth. It is quick and easy to apply and does not have a bad taste. There is no pain, but your child may cry just because babies and children don't like having things put in their mouths especially by people they don't know! Your child's teeth will be yellow after the fluoride varnish is painted on, but the yellow color will come off when you brush your child's teeth tomorrow.

How long does the fluoride last?

The fluoride coating will work best if it is painted on the teeth 3-4 times a year.

Baby Teeth are Important!

Remember, do not clean your child's teeth today and do not give them hard or sticky foods. Start cleaning your child's teeth tomorrow morning. The yellow color will come off when you brush your child's teeth



Información para los padres Sobre el esmalte de fluoruro



¿Porque nosotros recomendamos la aplicación del esmalete de fluoruro en los dientes de los niños?

Las caries es una de las enfermedades preventibles mas comunes vista en los niños. Los niños pequeños desde los 12-18 meses pueden tener cavidades. Las cavidades en los dientes de leche pueden causar dolor y aun hasta evitar a los niños a poder comer, hablar, dormir y aprender apropiadamente. Los niños no pierden todos sus dientes de leche hasta que tienen como de 11 a 12 años de edad.

¿Que es el esmalte de fluoruro?

El esmalte de fluoruo es una capa protectora que es pintada sobre los dientes para ayudar a prevenir nuevas cavidades y para ayudar a detener a las cavidades que ya hallan comenzado.

¿Es el esmalte de fluoruro seguro?

Si, el esmalte de fluoruro puede ser usado en bebés desde que ellos tienen sus primeros dientes. Solamente una cantidad pequeña de esmalte de fluoruro es usada. Este metodo de proveer fluoruo a los dientes a sido usado en Europa por mas de 25 años. El esmalte de fluoruro es aprovado por la "FDA" y es respaldado por la Asociación Dental Americana.

¿Como es el fluoruro aplicado en los dientes?

El esmalte es pintado sobre los dientes. Es rapido y fácil de aplicar y no tiene mal sabor. No hay dolor, pero su niño/a puede llorar simplemente porque a los bebés y niños no les gusta que les pongan cosas en su boca ¡especialmente por gente que ellos no conocen! Los dientes de su niño/a estaran amarillos despues que el esmalte de fluoruro sea aplicado, pero el color amarillo se caera cuando usted cepille los dientes de su niño/a mañana.

¿Cuanto tiempo dura el fluoruro?

La capa de fluoruro trabajara mejor si es aplicada en los dientes de 3-4 vecez al año.

¿ Los dientes de leche son importantes!

Recuerde, no limpie los dientes de su niño/a hoy y no les de comidas duras o pegajosas. Comienze a limpiar los dientes de su niño/a mañana en la mañana. El color amarillo se caera cuando usted cepille los dientes de su niño/a.

Agency Name

FLUORIDE VARNISH PROGRAM

Dear Parent: A preventive dental program is available through the A licensed professional will apply a protective coating called fluoride varnish to your child's teeth as a preventive measure against tooth decay. To receive these no-cost services you must provide consent. Yes, I want my child to receive fluoride varnish (please fill in the bottom of this form) No, I do not want my child to receive these preventive fluoride varnish services. Name of Child: _____ Date of Birth: Male: _____ Female: ____ Race: ____ School: ____ Teacher:_____ Room: ____ Home Address: _____ City: ____ Zip: _____ Do you have dental insurance? Yes: ___ No: ___ If yes, name of insurance:_____ Parent/Guardian's name: Please print **HEALTH HISTORY** 1. Has your child ever had serious health problems? No: __ Yes: __If yes, please explain: 2. Does your child have any allergies? No: ____ Yes: ___ If yes, please list: ____ Parent Signature: _____ Date: ____ *** This service does not replace a comprehensive evaluation. It is our recommendation that a dentist regularly examine your child *****

FOR OFFICE USE ONLY			
Comments			
Varnish placed on: by:			

Agency Name

PROGRAMA DE BARNIZ DE FLUORURO

Estimados Padres: Un programa dental estará disponibleen el El programa ayuda a prevenir las caries en los dientes de los niños. Una persona con licencia applicara una barrera protectora llamada barniz de fluoruro. Este barniz fortalece los dientes y los hace mas resistente contra las caries. Para recibir estos servicios sin-costo usted nos debe proveer este consentimiento. Si, quiero que mi hijo (a) recibe el barniz de fluoruro (por favor, complete la parte de abajo de esta forma) No, deseo que mi hijo (a) recibe este servicipo de barniz de fluoruro sin-costo. Nombre del Niño (a): Fecha de nacamiento: Masculino: ____ Feminina: ____ Raza: ___ Centro: ____ Maestra:_____ Salón: ____ Domicilio: _____ Ciudad: ____ Zona: _____ ¿Tiene aseguranza dental? Si: ___ No: ___si, Nombre de la aseguranza: ____ Nombre de los Padres/Guardián: **Historial Medica** 1. ¿Su hijo (a) alguna vez a tenido algún problema de salud serio? 1. ¿Tiene su niño (a) allejias? Firma de los Padres Fecha: *** Este servicio no reemplaza un examen para una completa evaluacion. Es nuestra recomendacion es que su dentista lo(a) vea regularmente.*****

FOR OFFICE USE ONLY
Comments

Varnish placed on: by:


Application

- Using gentle finger pressure, open the child's mouth.
- Remove excess saliva from the teeth with a gauze sponge.
- Apply a thin layer of varnish to all surfaces of the teeth. (The varnish will harden immediately once it comes in contact with saliva).

Positioning the Provider and Child







Post-Application Instructions

- The child should eat a soft, nonabrasive diet for the rest of the day.
- Do not brush or floss the child's teeth until the next morning.
- Inform the caregiver that it is normal for the teeth to appear dull and yellow until they are brushed.

Don't Delay – Prevent Decay

When your child leaves today, his/her teeth will have been coated with fluoride varnish and will not look as bright and shiny as usual. They will look as they usually do tomorrow when the varnish has had time to have its maximum effect and has worn off.

To keep the varnish on the teeth as long as possible and to achieve the best result:

- Your child should eat soft foods for the rest of the day.
- Teeth should not be cleaned until tomorrow morning.
- In the morning, clean the mouth and teeth as usual.

No se Demore – Prevenga las Caries

Cuando su niño/a se valla de aqui hoy, sus dientes de el o de ella habran sido bañados con esmalte de fluoruro y no se veran tan brillantes y resplandecientes como de costumbre. El día de mañana sus dientes se veran como de costumbre cuando el esmalte alla tenido tiempo de tener su maximo efecto y el efecto haya pasado.

Para mantener el esmalte en los dientes por el tiempo mayor posible y para conseguir el mejor resultado:

- Su niño/a debe de comer comidas blandas por el resto del día de hoy.
- Los dientes no se deben de limpiar hasta mañana en la mañana.
- En la mañana, limpie los dientes como de costumbre.

NEVADA MEDICAID POLICY

March 1, 2001

TOPICAL APPLICATION OF FLUORIDE

EFFECTIVE DATE: MARCH 1, 2001

ATTN. PROVIDERS: 22 Dentists; 20 Physicians; 24 Nurse Practitioners/Physician Assistants

DESCRIPTION:

Topical fluoride applications are one of the most effective ways to prevent, slow down, arrest and even reverse early cavities. Dentists have been providing fluoride services for decades. Fluoride varnish provides physicians, nurse practitioners, and physician assistants with a superior method of fluoride application, especially for children 0-6 years of age. Fluoride varnish is simply applied with a small brush and hardens immediately upon contact with saliva. Minimal training is needed and no special equipment is required. Medicaid encourages physicians, nurse practitioners and physician assistants to provide this highly effective, easy-to-provide service.

MEDICAID POLICY:

Nevada Medicaid pays dentists, physicians, nurse practitioners and physician assistants to administer topical Fluoride to the teeth of Medicaid clients who are under 21 years of age. The provider need not seek authorization for payment of this service for these young Medicaid recipients.

INDICATIONS AND LIMITATIONS OF COVERAGE: This policy reduces the current Nevada Medicaid 180-day frequency limitation on fluoride applications (CDT-3 code D01203) to once every 90 days. Medicaid eligible recipients over 21 years of age are not allowed this service.

COVERED CPT CODES:

D01203 Topical application of Fluoride (Prophylaxis not included) \$ 16.00

CODING/BILLING GUIDELINES:

For questions concerning this policy call: Anthem Blue Cross and Blue Shield, Medicaid Provider Services Unit, at 775.687.4388 in Reno, or toll-free at 1.800.727.4020.

The Nevada State Health Division's Bureau of Family Health Services (775.684.4285) can provide information and training on the use of this product and its availability.

DHC: (H:\CAP2371\November17\WP51\DALE\LTR\PROGRAMS\DENTAL\DENTAL\NEWS\pnewsfluoride02072001a.doc)

Billing for Fluoride Varnish Application

ICD-9 Code

V07.31 "Prophylactic Fluoride Administration"

CPT Code

D01203 "Topical Application of Fluoride

(Prophylaxis Not Included)"

(Nevada Medicaid will be printing a new EPSDT form with a check off box for flouride varnish. In the meantime, you need to bill for flouride varnish using a HCFA1500 form.)

This manual was supported by
Cooperative Agreement No.
U58/CCU919985-01 from the Centers
for Disease Control and Prevention
(CDC). It's contents are solely the
responsibility of the authors and do
not necessarily represent the official
views of the CDC.